



Product Service

# CERTIFICATE

No. Z2 073899 0076 Rev. 01

**Holder of Certificate:** **ZNSHINE PV-TECH Co., Ltd.**  
No.1, South Zhenxing Road  
Industrial Zone, Zhixi Town, Jintan District  
213251 Changzhou City, Jiangsu Province  
PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:**



**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704061908304-01

**Valid until:** 2025-12-30

**Date,** 2021-01-04

( Zhulin Zhang )

# CERTIFICATE

No. Z2 073899 0076 Rev. 01

## Model(s):

ZXM6-NHLDD144-xxx/M, xxx= 430 to 450 in steps of 5  
 ZXM6-NPLDD144-xxx/M, xxx= 430 to 450 in steps of 5  
 ZXM6-NOLDD144-xxx/M, xxx= 430 to 450 in steps of 5  
 ZXM6-NHLDD132-xxx/M, xxx= 395 to 410 in steps of 5  
 ZXM6-NPLDD132-xxx/M, xxx= 395 to 410 in steps of 5  
 ZXM6-NOLDD132-xxx/M, xxx= 395 to 410 in steps of 5  
 ZXM6-NHLDD120-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NPLDD120-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NOLDD120-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NHLDD144-xxx/M, xxx= 385 to 410 in steps of 5  
 ZXM6-NPLDD144-xxx/M, xxx= 385 to 410 in steps of 5  
 ZXM6-NOLDD144-xxx/M, xxx= 385 to 410 in steps of 5  
 ZXM6-NHLDD132-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NPLDD132-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NOLDD132-xxx/M, xxx= 360 to 375 in steps of 5  
 ZXM6-NHLDD120-xxx/M, xxx= 325 to 340 in steps of 5  
 ZXM6-NPLDD120-xxx/M, xxx= 325 to 340 in steps of 5  
 ZXM6-NOLDD120-xxx/M, xxx= 325 to 340 in steps of 5  
 ZXM6-LDD72-xxx/M, xxx= 380 to 400 in steps of 5  
 ZXM6-LDD66-xxx/M, xxx= 350 to 365 in steps of 5  
 ZXM6-LDD60-xxx/M, xxx= 320 to 330 in steps of 5  
 ZXM6-HLDD144-xxx/M, xxx= 380 to 405 in steps of 5  
 ZXM6-PLDD144-xxx/M, xxx= 380 to 405 in steps of 5  
 ZXM6-HLDD132-xxx/M, xxx= 350 to 370 in steps of 5  
 ZXM6-PLDD132-xxx/M, xxx= 350 to 370 in steps of 5  
 ZXM6-HLDD120-xxx/M, xxx= 320 to 335 in steps of 5  
 ZXM6-PLDD120-xxx/M, xxx= 320 to 335 in steps of 5  
 ZXM6-NHLD144-xxx/M, xxx= 425 to 450 in steps of 5  
 ZXM6-NPLD144-xxx/M, xxx= 425 to 450 in steps of 5  
 ZXM6-NOLD144-xxx/M, xxx= 425 to 450 in steps of 5  
 ZXM6-NHLD132-xxx/M, xxx= 390 to 410 in steps of 5  
 ZXM6-NPLD132-xxx/M, xxx= 390 to 410 in steps of 5  
 ZXM6-NOLD132-xxx/M, xxx= 390 to 410 in steps of 5  
 ZXM6-NHLD120-xxx/M, xxx= 355 to 375 in steps of 5  
 ZXM6-NPLD120-xxx/M, xxx= 355 to 375 in steps of 5  
 ZXM6-NOLD120-xxx/M, xxx= 355 to 375 in steps of 5  
 ZXM6-NHLD144-xxx/M, xxx= 380 to 410 in steps of 5  
 ZXM6-NPLD144-xxx/M, xxx= 380 to 410 in steps of 5  
 ZXM6-NOLD144-xxx/M, xxx= 380 to 410 in steps of 5  
 ZXM6-NHLD132-xxx/M, xxx= 350 to 375 in steps of 5  
 ZXM6-NPLD132-xxx/M, xxx= 350 to 375 in steps of 5  
 ZXM6-NOLD132-xxx/M, xxx= 350 to 375 in steps of 5  
 ZXM6-NHLD120-xxx/M, xxx= 320 to 340 in steps of 5  
 ZXM6-NPLD120-xxx/M, xxx= 320 to 340 in steps of 5  
 ZXM6-NOLD120-xxx/M, xxx= 320 to 340 in steps of 5  
 ZXM6-HLD144-xxx/M, xxx= 385 to 405 in steps of 5  
 ZXM6-PLD144-xxx/M, xxx= 385 to 405 in steps of 5  
 ZXM6-HLD132-xxx/M, xxx= 355 to 370 in steps of 5  
 ZXM6-PLD132-xxx/M, xxx= 355 to 370 in steps of 5  
 ZXM6-HLD120-xxx/M, xxx= 325 to 335 in steps of 5  
 ZXM6-PLD120-xxx/M, xxx= 325 to 335 in steps of 5  
 ZXM6-LD72-xxx/M, xxx= 380 to 400 in steps of 5  
 ZXM6-LD66-xxx/M, xxx= 350 to 365 in steps of 5  
 ZXM6-LD60-xxx/M, xxx= 320 to 330 in steps of 5  
 ZXM7-SOLDD144-xxx/M, xxx= 520 to 545 in steps of 5  
 ZXM7-SPLDD144-xxx/M, xxx= 520 to 545 in steps of 5  
 ZXM7-SHLDD144-xxx/M, xxx= 520 to 545 in steps of 5  
 ZXM7-SOLDD132-xxx/M, xxx= 480 to 495 in steps of 5  
 ZXM7-SPLDD132-xxx/M, xxx= 480 to 495 in steps of 5  
 ZXM7-SHLDD132-xxx/M, xxx= 480 to 495 in steps of 5  
 ZXM7-SOLDD120-xxx/M, xxx= 435 to 450 in steps of 5  
 ZXM7-SPLDD120-xxx/M, xxx= 435 to 450 in steps of 5  
 ZXM7-SHLDD120-xxx/M, xxx= 435 to 450 in steps of 5  
 ZXM7-SOLD144-xxx/M, xxx= 520 to 550 in steps of 5  
 ZXM7-SPLD144-xxx/M, xxx= 520 to 550 in steps of 5  
 ZXM7-SHLD144-xxx/M, xxx= 520 to 550 in steps of 5  
 ZXM7-SOLD132-xxx/M, xxx= 480 to 500 in steps of 5  
 ZXM7-SPLD132-xxx/M, xxx= 480 to 500 in steps of 5  
 ZXM7-SHLD132-xxx/M, xxx= 480 to 500 in steps of 5  
 ZXM7-SOLD120-xxx/M, xxx= 435 to 455 in steps of 5

# CERTIFICATE

No. Z2 073899 0076 Rev. 01

ZXM7-SPLD120-xxx/M, xxx= 435 to 455 in steps of 5  
ZXM7-SHLD120-xxx/M, xxx= 435 to 455 in steps of 5  
xxx is standing for rated output power at STC.

## Parameters:

Construction:	Framed, with Junction box, Cable and Connectors.
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute No. 10 West Kaifa Road, Yangzhou 225009 Jiangsu, P. R. China
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class A according to UL790

## Tested according to:

IEC 61215-1:2016  
IEC 61215-1-1:2016  
IEC 61215-2:2016  
IEC 61730-1:2016  
IEC 61730-2:2016

## Production Facility(ies):

073899